T Number	Uito	Coarch Mout	I DB	mima atama
L Number	Hits 0		DB USPAT;	Time stamp 2004/10/18 17:06
		directy and declamber	US-PGPUB;	2004/10/18 17:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	l o	directy and descramber	USPAT;	2004/10/18 17:06
	Ĭ	direct and descramed	US-PGPUB;	2004/10/10 17:00
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	l 0	(storing or buffer) with capacity with	USPAT:	2004/10/18 17:33
		(exceedS1 near4 value\$1)	US-PGPUB;	2001, 20, 20 2, 100
		, , ,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(receiv\$4 with extract\$4 with (stor\$4 or	USPĀT;	2004/10/18 17:06
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	
		with power)) and 348/725	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(receiv\$4 with extract\$4 with (stor\$4 or	USPAT;	2004/10/18 17:33
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	,
		with power)) and 348/14.01	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(	USPAT;	2004/10/18 17:33
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	
		with power)) and 348/14.02	EPO; JPO;	
			DERWENT;	
	4004		IBM_TDB	
-	4994	DBS	USPAT;	2004/10/18 17:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	90955	receiv\$4 and extract\$4 and stor\$4 and	IBM_TDB USPAT;	2004/10/18 17:09
	90833	transmitt\$5 and control\$4	US-PGPUB;	2004/10/18 17:09
		cransmiccys and controly4	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	719	DBS and (receiv\$4 and extract\$4 and stor\$4	USPAT;	2004/10/18 17:09
		and transmitt\$5 and control\$4)	US-PGPUB;	2001, 10, 10 1, 103
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	133777	video and audio	USPĀT;	2004/10/18 17:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	388	(DBS and (receiv\$4 and extract\$4 and	USPAT;	2004/10/18 17:10
		stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	
		(video and audio)	EPO; JPO;	
			DERWENT;	
	222	3 3.1	IBM_TDB	0004/40/55 55
-	3781	descrambler	USPAT;	2004/10/18 17:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	597375	nower add supply	IBM_TDB   USPAT;	2004/10/10 17:12
	واداود	power adj supply	US-PGPUB;	2004/10/18 17:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	20176	receiv\$4 and extract\$4 and (stor\$4 or	USPAT;	2004/10/18 17:34
		memory) and transmitt\$5 and (control\$4	US-PGPUB;	2003/10/10 1/.34
		with power)	EPO; JPO;	
1		,	DERWENT;	
			IBM TDB	
<u> </u>	·			l

-	326	receiv\$4 with extract\$4 with (stor\$4 or	USPAT;	2004/10/18 17:38
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	
		with power)	EPO; JPO;	
			DERWENT;	
	01470	h 66. (1)	IBM_TDB	
_	21470	buffer with capacity	USPAT;	2004/10/18 17:18
]			US-PGPUB;	l i
			EPO; JPO;	
İ			DERWENT; IBM TDB	
_	851	(storing or buffer) with capacity with	USPAT;	2004/10/18 17:18
	031	exceeds	US-PGPUB;	2004/10/10 17.10
		3.0000	EPO; JPO;	
:			DERWENT;	
			IBM TDB	
-	3017	375/316	USPAT;	2004/10/18 17:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1302	348/725	USPAT;	2004/10/18 17:20
			US-PGPUB;	l
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1305	348/14.01	USPAT;	2004/10/18 17:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	330	348/14.02	IBM_TDB	2004/10/19 17.22
_	330	340/14.02	USPAT; US-PGPUB;	2004/10/18 17:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	291	348/14.13	USPAT;	2004/10/18 17:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	, , ,	USPAT;	2004/10/18 17:23
		stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	
		(video and audio)) and descrambler) and	EPO; JPO;	
		(power adj supply or standby)	DERWENT;	
	105	At ( )	IBM_TDB	0004/10/10 15 00
-	125	digital adj broadcast adj receiving adj	USPAT;	2004/10/18 17:23
		apparatus	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	549	power adj saving adj method	USPAT;	2004/10/18 17:23
	""		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	67	power adj saving adj arrangement	USPAT;	2004/10/18 17:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44132	capacity and storing and exceed\$1	USPAT;	2004/10/18 17:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	45	roceiving add apparentum and account add	IBM TDB	2004/10/10 17 41
"	45	receiving adj apparatus and power adj control adj method	USPAT; US-PGPUB;	2004/10/18 17:41
		concror adj mechod	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>	1	11011 100	

_	42	((DBS and (receiv\$4 and extract\$4 and stor\$4 and transmitt\$5 and control\$4)) and	USPAT; US-PGPUB;	2004/10/18 17:25
		(video and audio)) and descrambler	EPO; JPO;	
			DERWENT; IBM TDB	
-	5	' ' '	USPAT;	2004/10/18 17:42
		stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	
		(video and audio)) and descrambler) and (power adj supply)	EPO; JPO; DERWENT;	
	200		IBM_TDB	
_	326	directv	USPAT; US-PGPUB;	2004/10/18 17:26
			EPO; JPO;	
			DERWENT; IBM TDB	
-	26	directv and power adj control	USPAT;	2004/10/18 17:26
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	29	directv and descrambler	USPAT; US-PGPUB;	2004/10/18 17:26
			EPO; JPO;	
			DERWENT; IBM TDB	
-	3		USPAT;	2004/10/18 17:26
		<pre>with (stor\$4 or memory) and transmitt\$5 with (control\$4 with power))</pre>	US-PGPUB; EPO; JPO;	
		with (controls4 with power))	DERWENT;	
		/#4707005#   #5005012#   #5502704#	IBM_TDB	2004/10/10 17 06
_	8	("4787085"   "5005013"   "5523794"     "5552833"   "5600573"   "5635979"	USPAT	2004/10/18 17:26
		"5659366"   "5661526").PN.		
-	19	6067121.URPN.   (((DBS and (receiv\$4 and extract\$4 and	USPAT USPAT;	2004/10/18 17:26 2004/10/18 17:48
		stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	2001, 20, 20 21110
		(video and audio)) and descrambler) and capacity	EPO; JPO; DERWENT;	
			IBM_TDB	
-	10	(((DBS and (receiv\$4 and extract\$4 and stor\$4 and transmitt\$5 and control\$4)) and	USPAT; US-PGPUB;	2004/10/18 17:26
		(video and audio)) and descrambler) and	EPO; JPO;	
		(buffer with capacity)	DERWENT; IBM TDB	
_	28	(receiv\$4 and extract\$4 and (stor\$4 or	USPAT;	2004/10/18 17:26
		memory) and transmitt\$5 and (control\$4 with power)) and ((storing or buffer) with	US-PGPUB; EPO; JPO;	
		capacity with exceeds)	DERWENT;	
_	121	(receiv\$4 and extract\$4 and stor\$4 and	IBM_TDB USPAT;	2004/10/18 17:26
	121	transmitt\$5 and control\$4) and ((storing	US-PGPUB;	2004/10/10 1/:20
		or buffer) with capacity with exceeds)	EPO; JPO;	
			DERWENT; IBM TDB	
-	31		USPĀT;	2004/10/18 17:26
		transmitt\$5 and control\$4) and ((storing or buffer) with capacity with (exceed\$1	US-PGPUB; EPO; JPO;	
		near4 value\$1))	DERWENT;	
_	135	(storing or buffer) with capacity with	IBM_TDB USPAT;	2004/10/18 17:26
	-33	(exceed\$1 near4 value\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	34	((storing or buffer) with capacity with (exceed\$1 near4 value\$1)) and video	USPĀT; US-PGPUB;	2004/10/18 17:26
		(CYCCCOAL HEALT ABINEALL) WHO AIGEO	EPO; JPO;	
			DERWENT;	
	L	I	IBM_TDB	1

27	18 17:38 18 17:26 18 17:26
decod\$4	18 17:26 18 17:26
DERWENT; IBM TDB   USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB   U	18 17:26 18 17:26
Teme	18 17:26 18 17:26
memory) and transmitt\$5 with (control\$4   US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	18 17:26 18 17:26
with power)) and 375/316    Comparison of the power) and 375/316   EPO; JPO; DERWENT; IBM TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; USPAT;	18 17:26 18 17:47
1	18 17:26 18 17:47
Comparison of the control of the c	18 17:26 18 17:47
1 (receiv\$4 with extract\$4 with (stor\$4 or memory) and transmitt\$5 with (control\$4 with power)) and 348/14.13	18 17:26 18 17:47
memory) and transmitt\$5 with (control\$4 with power)) and 348/14.13  - 3 directv and standby  - 3 directv and standby  - 1 (((DBS and (receiv\$4 and extract\$4 and stor\$4 and (video and audio)) and descrambler) and (power adj supply) and standby  - 2 5027428.pn.  - 10 (digital adj broadcast adj receiving adj apparatus) and EMM  - 1 (digital saving adj arrangement and (power adj saving adj method)  - 1 power adj saving adj method)  - 2 1 power adj saving adj method)  - 2 3 directv and standby  - 3 directv and standby  - 4 0 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO;	18 17:26 18 17:47
with power)) and 348/14.13  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	L8 17:47
directv and standby    IBM_TDB	L8 17:47
directv and standby    SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	L8 17:47
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  ((i) (DBS and (receiv\$4 and extract\$4 and stor\$4 and transmitt\$5 and control\$4)) and (video and audio)) and descrambler) and (power adj supply) and standby  DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	L8 17:47
- 1 (((DBS and (receiv\$4 and extract\$4 and stor\$4 and transmitt\$5 and control\$4)) and (video and audio)) and descrambler) and (power adj supply) and standby  - 2 5027428.pn.  - 10 (digital adj broadcast adj receiving adj apparatus) and EMM  - 11 power adj saving adj arrangement and (power adj saving adj method)  - 11 power adj saving adj method)  EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TD	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
1 (((DBS and (receiv\$4 and extract\$4 and stor\$4 and transmitt\$5 and control\$4)) and (video and audio)) and descrambler) and (power adj supply) and standby  2 5027428.pn.  2 5027428.pn.  10 (digital adj broadcast adj receiving adj apparatus) and EMM  10 (digital adj saving adj arrangement and (power adj saving adj method)  10 power adj saving adj method)  11 power adj saving adj method)  12 IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO;	
stor\$4 and transmitt\$5 and control\$4)) and (video and audio)) and descrambler) and (power adj supply) and standby  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	
(video and audio)) and descrambler) and (power adj supply) and standby  5027428.pn.  10 (digital adj broadcast adj receiving adj apparatus) and EMM  11 power adj saving adj arrangement and (power adj saving adj method)  (video and audio)) and descrambler) and EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	.8 17:26
(power adj supply) and standby  DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;	.8 17:26
TIBM_TDB_USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB_USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWEN	.8 17:26
- 2 5027428.pn. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	.8 17:26
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	
- 10 (digital adj broadcast adj receiving adj uspat; us-pgpuB; epo; Jpo; Derwent; IBM_TDB uspat; us-pgpuB; epo; Jpo; Derwent; IBM_TDB uspat; lime_TDB uspat; l	
- 10 (digital adj broadcast adj receiving adj apparatus) and EMM  - 11 power adj saving adj arrangement and (power adj saving adj method)  USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO;	
apparatus) and EMM  US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; (power adj saving adj arrangement and (power adj saving adj method)  US-PGPUB; EPO; JPO;	0 17.06
- 11 power adj saving adj arrangement and power adj saving adj method)  EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO;	.8 1/:26
DERWENT; IBM_TDB USPAT; (power adj saving adj method) USPAT; US-PGPUB; EPO; JPO;	
- 11 power adj saving adj arrangement and USPĀT; 2004/10/ (power adj saving adj method) US-PGPUB; EPO; JPO;	
(power adj saving adj method)  US-PGPUB; EPO; JPO;	
EPO; JPO;	.8 17:26
IBM TDB	
- 6 (digital adj broadcast adj receiving adj USPAT; 2004/10/	8 17:26
apparatus) and (capacity and storing and US-PGPUB;	
exceed\$1) EPO; JPO;	
DERWENT; IBM TDB	
- 4337 (receiv\$4 and extract\$4 and stor\$4 and USPAT; 2004/10/	8 17:30
transmitt\$5 and control\$4) AND STANDBY US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	0 17.33
0 (receiv\$4 with extract\$4 with (stor\$4 or USPAT; 2004/10/7 memory) and transmitt\$5 with (control\$4 US-PGPUB;	.0 1/:33
with power ort standby)) and 348/14.02 EPO; JPO;	
DERWENT;	
IBM_TDB	
0 (receiv\$4 with extract\$4 with (stor\$4 or USPAT; 2004/10/)	.8 17:33
memory) and transmitt\$5 with (control\$4 US-PGPUB;	
with power or standby)) and 348/14.01	
IBM TDB	
- 0 (receiv\$4 with extract\$4 with (stor\$4 or USPAT; 2004/10/	.8 17:33
memory) and transmitt\$5 with (control\$4 US-PGPUB;	
with power or standby)) and 348/14.02 EPO; JPO;	
DERWENT;	
IBM_TDB	
memory) and transmitt\$5 and (standby or US-PGPUB;	Ω 17.34
(control\$4 with power))  EPO; JPO;	8 17:34
	.8 17:34
DERWENT;	.8 17:34

	240	1		T 0 0 0 1 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0
-	342		USPAT;	2004/10/18 17:38
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	
		with (standby or power))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	22	(receiv\$4 with extract\$4 with (stor\$4 or	USPĀT;	2004/10/18 17:39
		memory) and transmitt\$5 with (control\$4	US-PGPUB;	
		with (standby or power))) and 375/316	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	333	receiving adj apparatus and ((power adj	USPĀT;	2004/10/18 17:41
		control adj method) or standby)	US-PGPUB;	
		<u></u> ,,,,	EPO; JPO;	
İ			DERWENT;	
			IBM TDB	
_	5	(((DBS and (receiv\$4 and extract\$4 and	USPAT;	2004/10/18 17:42
		stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	2004/10/10 17:42
1		(video and audio)) and descrambler) and	EPO; JPO;	
ļ		((power adj supply) or standby)	DERWENT:	
}		( (power ad) supply) of standary)	IBM TDB	
_	1	(((DBS and (receiv\$4 and extract\$4 and	USPAT;	2004/10/18 17:47
	1	stor\$4 and transmitt\$5 and control\$4)) and	US-PGPUB;	2004/10/16 17:47
		(video and audio)) and descrambler) and	EPO; JPO;	
		standby	DERWENT;	
		scandby		
	157	DDG and shandhy	IBM_TDB	2004/10/10 17 10
-	15/	DBS and standby	USPAT;	2004/10/18 17:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	